

Local Coverage Determination (LCD): B-type Natriuretic Peptide (BNP) Testing (L35526)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

Contractor Name	Contract Type	Contract Number	Jurisdiction	State(s)
Noridian Healthcare Solutions, LLC	A and B MAC	01112 - MAC B	J - E	California - Northern
Noridian Healthcare Solutions, LLC	A and B MAC	01182 - MAC B	J - E	California - Southern American Samoa Guam Hawaii Northern Mariana Islands Nevada
Noridian Healthcare Solutions, LLC	A and B MAC	01212 - MAC B	J - E	
Noridian Healthcare Solutions, LLC	A and B MAC	01312 - MAC B	J - E	

[Back to Top](#)

LCD Information

Document Information

LCD ID
L35526

Original Effective Date
For services performed on or after 10/01/2015

Original ICD-9 LCD ID
[L34696](#)

Revision Effective Date
For services performed on or after 10/01/2015

LCD Title
B-type Natriuretic Peptide (BNP) Testing

Revision Ending Date
N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement
CPT only copyright 2002-2015 American Medical Association. All Rights Reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Retirement Date
N/A

Notice Period Start Date
N/A

Notice Period End Date
N/A

The Code on Dental Procedures and Nomenclature (Code) is published in Current Dental Terminology (CDT). Copyright © American Dental Association. All rights reserved. CDT and CDT-2010 are trademarks of the American Dental Association.

UB-04 Manual. OFFICIAL UB-04 DATA SPECIFICATIONS MANUAL, 2014, is copyrighted by American Hospital Association ("AHA"), Chicago, Illinois. No portion of OFFICIAL UB-04 MANUAL may be reproduced, sorted in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior express, written consent of AHA." Health Forum reserves the right to change the copyright notice from time to time upon written notice to Company.

CMS National Coverage Policy Language quoted from the Centers for Medicare and Medicaid Services (CMS) National Coverage Determinations (NCDs) and coverage provisions in interpretive manuals is italicized throughout the policy. NCDs and coverage provisions in interpretive manuals are not subject to the Local Coverage Determination (LCD) Review Process (42 CFR 405.860[b] and 42 CFR 426 [Subpart D]). In addition, an administrative law judge may not review a NCD. See §1869(f)(1)(A)(i) of the Social Security Act.

Unless otherwise specified, *italicized* text represents quotation from one or more of the following CMS sources:

Title XVIII of the Social Security Act (SSA):

Title XVIII of the Social Security Act, §1862(a)(1)(A) excludes expenses incurred for items or services which are not reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member.

Title XVIII of the Social Security Act, §1833(e) prohibits Medicare payment for any claim which lacks the necessary information to process the claim.

Section 1862(a)(7) excludes routine physical examinations (screening).

Code of Federal Regulations:

42 CFR Sections 410.32(a) & 410.32(a)(3) require that clinical laboratory services be ordered *and used* promptly by the physician (or other treating practitioner acting within the scope of his or her license and Medicare requirements) who is treating the beneficiary.

42CFR411.15 excludes from coverage examinations performed for a purpose other than treatment or diagnosis of a specific illness, symptoms, complaint, or injury with specific legislative enactments as the only exceptions.

CMS Manual System, Pub. 100-02, Medicare Benefit Policy Manual, Chapter 6, §§20.4.4 and 20.4.5.

CMS Manual System, Pub 100-04, Medicare Claims Processing Manual, Chapter 9, §100 General Billing Requirements

CMS Manual System, Pub 100-20, One Time Notification, Transmittal 477, dated April 24, 2009, Change Request 6338.

Coverage Guidance

Coverage Indications, Limitations, and/or Medical Necessity

Abstract:

B-type natriuretic peptide (BNP) is a cardiac neurohormone produced mainly in the left ventricle. It is secreted in response to ventricular volume expansion and pressure overload, conditions often present in congestive heart failure (CHF). Used in conjunction with other clinical information, measurement of BNP levels (*either total or N-terminal*) is useful in rapidly establishing or excluding the diagnosis or worsening of CHF in patients with acute exacerbation of dyspnea. Also, BNP levels determined in the first few days after an acute coronary syndrome or event (ACS) may be useful in the prediction of longer-term cardiovascular risk but this risk assessment does not change the management of ACS and is non-covered by regulation.

Indications:

BNP measurements may be considered reasonable and necessary when used in combination with other medical data such as medical history, physical examination, laboratory studies, and chest x-ray.

- to diagnose or to differentiate heart failure from other potential clinical conditions **if** the patient's signs and/or symptoms are consistent with both heart failure and one or more other conditions, e.g., acute dyspnea in a patient with known or suspected pulmonary disease.
- to diagnose or differentiate worsening heart failure if use of the test replaces other diagnostic tests, such as chest film; and/or to confirm the diagnosis when other diagnostic tests are equivocal.

Limitations:

- BNP measurements must be assessed in conjunction with standard diagnostic tests, medical history and clinical findings. The efficacy of BNP measurement as a stand-alone test has not been established yet.
- BNP measurements for monitoring and management of CHF are non-covered. Treatment guided by BNP has not been shown to be superior to symptom-guided treatment in either clinical or quality-of-life outcomes.
- The efficacy but not the utility of BNP as a risk stratification tool (to assess risk of death, myocardial infarction or congestive heart failure) among patients with acute coronary syndrome (myocardial infarction with or without T-wave elevation and unstable angina) has been established. However, the assessment of BNP level has not been shown to alter patient management. The BNP is not sufficiently sensitive to either preclude or necessitate any other evaluation or treatment in this group of patients.
- Screening examinations are statutorily non-covered.

[Back to Top](#)

[Coding Information](#)

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

- 012x Hospital Inpatient (Medicare Part B only)
- 013x Hospital Outpatient
- 014x Hospital - Laboratory Services Provided to Non-patients
- 021x Skilled Nursing - Inpatient (Including Medicare Part A)
- 022x Skilled Nursing - Inpatient (Medicare Part B only)
- 023x Skilled Nursing - Outpatient
- 071x Clinic - Rural Health
- 072x Clinic - Hospital Based or Independent Renal Dialysis Center
- 077x Clinic - Federally Qualified Health Center (FQHC)
- 085x Critical Access Hospital

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all

Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

0300
0301
0520
0521
0523
0525
N/A

CPT/HCPCS Codes

Group 1 Paragraph: N/A

Group 1 Codes:

83880 NATRIURETIC PEPTIDE

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph: It is the responsibility of the provider to code to the highest level specified in the ICD-10-CM (e.g., to the third to seventh character). The correct use of an ICD-10-CM code listed below does not assure coverage of a service. The service must be reasonable and necessary in the specific case and must meet the criteria specified in this determination.

Group 1 Codes:

ICD-10 Codes	Description
I11.0	Hypertensive heart disease with heart failure
I13.0	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease
I13.2	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease
I31.1	Chronic constrictive pericarditis
I42.0	Dilated cardiomyopathy
I42.5	Other restrictive cardiomyopathy
I42.8	Other cardiomyopathies
I50.1	Left ventricular failure
I50.21	Acute systolic (congestive) heart failure
I50.22	Chronic systolic (congestive) heart failure
I50.23	Acute on chronic systolic (congestive) heart failure
I50.31	Acute diastolic (congestive) heart failure
I50.32	Chronic diastolic (congestive) heart failure
I50.33	Acute on chronic diastolic (congestive) heart failure
I50.41	Acute combined systolic (congestive) and diastolic (congestive) heart failure
I50.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.43	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure
I50.9	Heart failure, unspecified
J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection
J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation
J45.901	Unspecified asthma with (acute) exacerbation
J98.01	Acute bronchospasm
R06.00	Dyspnea, unspecified
R06.01	Orthopnea
R06.02	Shortness of breath
R06.09	Other forms of dyspnea
R06.2	Wheezing
R06.82	Tachypnea, not elsewhere classified

General Information

Associated Information

Documentation supporting medical necessity should be legible, maintained in the patient's record, and must be made available to the A/B MAC upon request.

The patient's medical record must contain documentation that fully supports the medical necessity for services included within this LCD. (See "Indications and Limitations of Coverage.") This documentation includes, but is not limited to, relevant medical history, physical examination, and results of pertinent diagnostic tests or procedures.

Sources of Information and Basis for Decision

1. Alehagen U, Dahlström U, Rehfeld JF, Goetze JP. Association of copeptin and N-terminal proBNP concentrations with risk of cardiovascular death in older patients with symptoms of heart failure. *JAMA*. May 25 2011;305(20):2088-95. [Medline].
2. Balion C, Don-Wauchope A, Hill S, Santaguida PL, et al. Use of natriuretic peptide measurement in the management of heart failure. Comparative Effectiveness Review No. 126 (Prepared by the McMaster University Evidence-based Practice Center under Contract No. 290-2007-1060-1.) AHRQ Publication no. 12(14)-EHC118-EF. Rockville, MD: Agency for Healthcare Research and Quality; November 2013. www.effectivehealthcare.ahrq.gov/reports/final.cfm
3. Bayes-Genis A, de Antonio M, Galan A, et al. Combined use of high-sensitivity ST2 and NTproBNP to improve the prediction of death in heart failure. *Eur J Heart Fail*. Jan 2012;14(1):32-8. [Medline].
4. Carpenter CR, Keim SM, Worster A, et al. Brain natriuretic peptide in the evaluation of emergency department dyspnea: is there a role? *J Emerg Med*. Nov 26 2011;[Medline].
5. Daniels LB, Maisel AS. Natriuretic peptides. *J Am Coll Cardiol*. Dec 18 2007;50(25):2357-68. [Medline].
6. DeVecchis R, Esposito C, DiBiase G, Ariano C, . et al. B-type natriuretic peptide-guided versus symptom-guided therapy in outpatients with chronic heart failure: a systematic review with meta-analysis. *J Cardiovasc Med* 2014; 15: 122-134.
7. Doust J, Lehman R, Glasziou P. The Role of BNP Testing in Heart Failure. *Am Fam Physician*. 2006;74(11):1893-1900.
8. Felker GM, Hasselbad V, Hernandez AF, O'Connor CM. Biomarker-guided therapy in chronic heart failure: A meta-analysis of randomized controlled trials. *Am Heart J*. 2009;158:422-430.
9. Januzzi JL, van Kimmenade R, Lainchbury J, et al. NT-proBNP testing for diagnosis and short-term prognosis in acute destabilized heart failure: an international pooled analysis of 1256 patients: the International Collaborative of NT-proBNP Study. *Eur Heart J*. . 2006;27(3):330-7. [Medline].
10. Latini R, Masson S, Wong M, et al. Incremental prognostic value of changes in B-type natriuretic peptide in heart failure. *American Journal of Medicine*. . 2006;119(1):70.e23-30.
11. Le Jemtel TH, Padeletti M, Jelic S. Diagnostic and therapeutic challenges in patients with coexistent chronic obstructive pulmonary disease and chronic heart failure. *J Am Coll Cardiol*. 2007; 49 (2): 171-180.
12. Li P, Luo Y, Chen Y-M. B-type Natriuretic peptide-guided chronic heart failure therapy: A meta-analysis of 11

randomized controlled trials. *Heart Lung Circ.* 2013;22:852-860.

13. Lindenfeld J, Albert NM, Boehmer JP, et al. HFSA 2010 Comprehensive Heart Failure Practice Guideline. *J Card Fail.* . Jun 2010;16(6):e1-194. [Medline].

14. Maisel AS, Mueller C, Adams K Jr, et al. State of the art: using natriuretic peptide levels in clinical practice. *Eur J Heart Fail.* . 2008;10(9):824-39.

15. McMurray JJV. Systolic heart failure. *N Engl J Med.* 2010;362(3):228-238.

16. Pfisterer M, Buser P, Rickli H, et al. BNP-guided vs. symptom-guided heart failure therapy: the Trial of Intensified vs Standard Medical Therapy in elderly patients with congestive heart failure (TIME-CHF) randomized trial. *JAMA.* 2009 Jan 28;301(4):383-92.

17. Porapakkham P, Zimmet H, Billah B, et al. B-type Natriuretic peptide-guided heart failure therapy: A meta-analysis. *Arch Intern Med.* . 2010;170:507-514.

18. Ray P, Le Manach Y, Riou B, Houle T. Statistical evaluation of a biomarker. *Anesthesiology.* 2010; 112:1023-1040. Issue 4

19. Saenger AK, Jaffe AS. The Use of Biomarkers for the Evaluation and Treatment of Patients with Acute Coronary Syndromes. *Medical Clinics of North America.* . 2007;91(4):657-681.

20. Savarese G, Trimarco B, Dellegrottaglie S, Prastero M, et al. . Natriuretic peptide-guided therapy in chronic heart failure: A meta-analysis of 2,686 patients in 12 randomized controlled trials. *PLoS One.* 2013;8:e58287.

21. Silvers SM, Howell JM, Kosowsky JM, et al. Clinical Policy: Critical Issues in the Evaluation and Management of Adult Patients Presenting to the Emergency Department with Acute Heart Failure Syndromes. *Ann Emerg Med.* 2007;49(5):627-669.

22. Troughton RW, Frampton AM. Biomarker-Guided Treatment of Heart Failure. *Journal of the American College of Cardiology* 2010; 56 (25):2101-2103.

23. Steinhart B, Thorpe KE, Bayoumi AM, Moe G, Januzzi JL Jr, Mazer CD. Improving the diagnosis of acute heart failure using a validated prediction model. *J Am Coll Cardiol.* Oct 13 2009;54(16):1515-21. [Medline].

24. Wu AH. Serial Testing of B-Type Natriuretic Peptide and NTpro-BNP for Monitoring Therapy of Heart Failure: The Role of Biologic Variation in the Interpretation of Results. *American Heart Journal.* 2006;152(5):828-834.

25. Yancey CW, Jessup M, Bozkurt B, Butler J, et al. 2013 ACCF/AHA guideline for the management of heart failure: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol.* 2013;62(16):e147-e239.

26. Yordan T, Altintop L, Baydin A, et al. B-type natriuretic peptide as an indicator of right ventricular dysfunction in acute pulmonary embolism. *Int J Clin Pract.* Aug 2008;62(8):1177-82. [Medline].

[Back to Top](#)

[Revision History Information](#)

Please note: Most Revision History entries effective on or before 01/24/2013 display with a Revision History Number of "R1" at the bottom of this table. However, there may be LCDs where these entries will display as a separate and distinct row.

Revision History Date	Revision History Number	Revision History Explanation	Reason(s) for Change
10/01/2015	R4	The LCD revised to add I50.9 to the ICD-10 Codes that Support Medical Necessity section effective 10/1/2015	<ul style="list-style-type: none">• Reconsideration Request
10/01/2015	R3	LCD was revised only to fix the "Sources of Information and Basis for Decision" field, #25 unended tag (italic).	<ul style="list-style-type: none">• Typographical Error
10/01/2015	R2		

Revision History Date	Revision History Number	Revision History Explanation	Reason(s) for Change
10/01/2015	R1	The LCD revised to remove ICD10 codes I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4, I22.0, I22.1, I22.2, I22.8, I22.9, R06.83, R60.89. Asterisk for diagnosis codes also removed.	<ul style="list-style-type: none"> Revisions Due To ICD-10-CM Code Changes
		The LCD was revised to add the correct contract numbers in the "Associated Contract Numbers	<ul style="list-style-type: none"> Creation of Uniform LCDs Within a MAC Jurisdiction

[Back to Top](#)

Associated Documents

Attachments N/A

Related Local Coverage Documents N/A

Related National Coverage Documents N/A

Public Version(s) Updated on 09/29/2015 with effective dates 10/01/2015 - N/A [Updated on 09/08/2015 with effective dates 10/01/2015 - N/A](#) [Updated on 07/23/2015 with effective dates 10/01/2015 - N/A](#) [Updated on 08/08/2014 with effective dates 10/01/2015 - N/A](#) [Updated on 07/31/2014 with effective dates 10/01/2015 - N/A](#)
[Back to Top](#)

Keywords

- BNP
- 83880
- B-type natriuretic peptide
-

Read the [LCD Disclaimer](#) [Back to Top](#)